






NATIONAL WEATHER SERVICE

Protecting Lives and Property for 150 Years

A Proposal to Clearly Define Threat and Risk for Weather Events

JANUARY 16, 2020

Barry Goldsmith, NWS Brownsville/Rio Grande Valley, Texas



Weather-Ready Nation's Key Premise

Impact-Based Decision Support Services (IDSS) Requires Effective Communication of Risk

NWS Strategic Plan, Section 1.1.1 – From Product-Focused to Interpretation

from its limited ability to convey complete information, often encompasses too wide a threat window, and is subject to widely varied interpretation. To enhance the completeness of information, NWS will develop future products from foundational datasets, with a focus on social science inputs and testing and evaluation both at test beds and the NWS Operations and Services Proving Ground. Examples are a combination of text, graphics, and imagery. To support improved decision support, services need to evolve to real-time, interactive communication of information, forecast, and risks that aids community decision-makers.



Weather-Ready Nation's Key Premise

Impact-Based Decision Support Services (IDSS) Requires Effective Communication of Risk

NWS Strategic Plan, Section 1.1.1.1: Impact vs. Cause

Demand-driven IDSS will require a significant change in how NWS personnel communicate environmental information to core partners and users. Weather forecasts, watches, advisories, and warnings will need to evolve into impact-based environmental information related to NWS analysis, forecasts, and warnings through user-defined thresholds. This change represents a significant cultural shift and requires in-depth training to ensure that critical weather information is communicated in terms of societal impacts to those most at risk.



Weather-Ready Nation's Key Premise

Impact-Based Decision Support Services (IDSS) Requires Effective Communication of Risk

NWS Strategic Plan, Section 1.1.2: Communicate On-Demand, Confidence Info

either it was going to rain, or it was not going to rain. Decision-makers want more information about the probability or likelihood of a high impact event to make more informed **risk-based** decisions. As weather-sensitive industries place greater reliance on increasingly skillful weather prediction, they are seeking a better understanding of probabilities to make optimal, objective decisions, factoring in **risk**, impacts, costs, and benefits. Quantifying communicating forecast certainty especially as it relates to key thresholds affected decisions during extreme events is fundamental to the success of IDSS.



NATIONAL WEATHER SERVICE

Protecting Lives and Property for 150 Years

What Defines Risk? A Few Examples

- FEMA: “A combination of the probability that an event will occur, and the consequences of its occurrence.” (FEMA, Unit V, Building Design for Homeland Security) In simple equation form:

$$\text{Risk} = \text{Asset Value} \times \text{Threat Rating} \times \text{Vulnerability Rating}$$

- DHS/FEMA: **Risk (R)** = Threat (T) x Vulnerability (V) x Consequence (C) (Cong. Research Service, 2007)
- IPCC (2018, literature review references): “{Disaster} **Risk** is determined by a combination of physical hazards and the vulnerabilities of exposed elements.”

$$\text{Risk} = \text{Hazards (H)} + \text{Vulnerability (V)} + \text{Exposure (E)} - \text{Resiliency (R)}$$

But...IT'S much more COMPLICATED!



Risk is a Moving Target!

- Consider:
- **Hazard** = the possible future occurrence of natural or man-made events that may have adverse effects on vulnerable and exposed elements. The “event” and associated probability of occurrence (the “threat”)
- **Exposure** occurs when the hazard is encountered by people and the inventory of elements in the area of occurrence.
- **Vulnerability** is the propensity of exposed “elements” (people, livelihoods, assets) to suffer adverse effects when impacted by a hazard(s)
- **Resiliency** is the capacity to anticipate, cope with, and adapt to extremes and changes caused by a hazard – and reduce vulnerability



So...a Variation on the Risk Equation

$$\mathbf{RISK}^1 = \frac{\text{Hazards} + \text{Vulnerability} + \text{Exposure}}{\text{Resilience}}$$

Equation Notes:

Increasing the numerator results in enhancing the risk.

Increasing resilience, while holding the factors in the numerator stable (or in concert with decreasing them) will lower the overall risk.

With regard to weather and water scenarios, increased resilience can improve your capability to mitigate the effects of vulnerability and exposure.

¹ National Weather Service Impact-Based Decision Support Services Professional Development Series, Professional Competency Unit 3, Section 2: Risk Communication



NATIONAL WEATHER SERVICE

Protecting Lives and Property for 150 Years

If defining Risk is so complicated...

...Why are we (Weather Enterprise) exchanging “Risk” for “Threat”?



Three Possible Reasons:

- Unintended exchange of terms ('what we really mean is...')
- No deep insight into the meaning of threat vs. risk
- “It’s always been done this way”



NATIONAL WEATHER SERVICE

Protecting Lives and Property for 150 Years


Consider: Risk Communication is the **heart of IDSS – and building WRN with core partners.** We **MUST** get the definition correct – no matter how complicated – in order to proceed.



NATIONAL WEATHER SERVICE

Protecting Lives and Property for 150 Years

Incorrect Usage: NWS Storm Prediction Center



DAY 1 CONVECTIVE OUTLOOK CORR 1
NWS STORM PREDICTION CENTER NORMAN OK
0110 AM CDT WED APR 27 2011



VALID 271200Z - 281200Z

...THERE IS A **HIGH RISK** OF SVR TSMS OVER PORTIONS OF NRN MS...AL...FAR NWRN GA AND SRN MIDDLE TN...

...THERE IS A **MDT RISK** OF SVR TSMS OVER MUCH OF CNTRL AND NRN MS AND AL...NWRN GA...MUCH OF TN AND KY...WRN CAROLINAS...

...THERE IS A **SLGT RISK** OF SVR TSMS FROM THE LOWER MS VALLEY/GULF COAST STATES NWD TO THE CANADIAN BORDER...



Incorrect Usage: Media Using Storm Prediction Center Graphic




Incorrect Usage: NWS Weather Prediction Center

WPC Day 1 Excessive Rainfall Outlook

Risk of 1 to 6 hour rainfall exceeding flash flood guidance at a point

Updated: 0048 UTC Sun Dec 9, 2018
Valid: 01 UTC Dec 09, 2018 - 12 UTC Dec 09, 2018



Forecast Discussion

Excessive Rainfall Discussion
NWS Weather Prediction Center College Park MD
752 PM EST Sat Dec 08 2018

Day 1
Valid 01Z Sun Dec 09 2018 - 12Z Sun Dec 09 2018

...THERE IS A SLIGHT **RISK** OF EXCESSIVE RAINFALL ACROSS PORTIONS OF THE SOUTHEAST...



Incorrect Usage: NWS Forecast Office Graphical Weather Outlook

Fog Risk
This Afternoon/Tonight
 Current Time - 6 am

Fog Risk
Valid: 12/08/2018 02:00 PM - 12/09/2018 05:00 AM EST

National Weather Service
Taunton, MA
12/08/2018 04:41 PM EST

24 Hr. Hazards	Day 1	Sun	Mon	Tue	Wed	Thu	Fri
Tornado	■						
Hail	■						
Thunderstorm Wind Gust	■						
Severe Thunderstorms	■	■	■	■	■	■	■
Lightning	■	■	■	■	■	■	■
Flooding	■	■	■	■	■	■	■
Fire Weather	■	■	■	■	■	■	■
Fog	■	■	■	■	■	■	■
Non Thunderstorm Winds	■	■	■	■	■	■	■
Excessive Heat	■	■	■	■	■	■	■
Coastal Flood	■	■	■	■	■	■	■
High Surf	■	■	■	■	■	■	■
Marine Hazard	■	■	■	■	■	■	■
Freezing Spray	■	■	■	■	■	■	■

Fog Legend


Fog Safety Tips

Risk Level		Definition
■	None	No risk of fog.
■	Limited	Fog with visibilities less than or equal to 1 mile.
■	Elevated	Fog with visibilities less than or equal to 1/2 mile.
■	Significant	Fog with visibilities less than or equal to 1/4 mile.
■	Extreme	Fog with near zero visibilities.

Incorrect Usage: NWS Forecast Office

RIP CURRENTS

¡ESCÁPESE DE LA CORRIENTE!



www.ripcurrents.noaa.gov
www.usfa.org

IF CAUGHT IN A RIP CURRENT
SI LO ATRAPA LA CORRIENTE PELIGROSA

- Don't fight the current
No luche contra la corriente
- Swim even with the shore, until current weakens, then swim to shore
Nade al nivel de la orilla hasta que la corriente se debilite
- If you can't escape, float or tread water
Si no logra escapar, manténgase a flote pedaleando
- If you need help, call or wave for assistance
Si necesita auxilio, grite o agite los brazos



Never swim alone - Nunca nade solo

More information about rip currents can be found at the following web sites. Para más información acerca de las corrientes peligrosas consulte estos sitios de web:
www.ripcurrents.noaa.gov



Wave Heights: 5-8, occ. 9 ft
Surf Temp: 67°F
Air Temp: Upper 50s
UV Index: Moderate
Winds: NW 20 to 25 mph
Tides: Low at 9:00 am
High at 6:37 pm

Let's Take a Look At Each Case...



High Risk of Rip Currents Today
 Weather Forecast Office Brownsville/RGV, TX
 Issued Dec 08, 2018 7:39 AM CST

Chance of Rain with Elevated Surf Conditions

50%

Wave Heights: 5-8, occ. 9 ft
 Surf Temp: 67°F
 Air Temp: Upper 50s
 UV Index: Moderate
 Winds: NW 20 to 25 mph
 Tides: Low at 9:00 am
 High at 6:37 pm


IF CAUGHT IN A RIP CURRENT
 SI LO ATRAPA LA CORRIENTE PELIGROSA

- Don't fight the current. No matter how strong the current is.
- Swim even with the shore, until current weakens, then swim to shore.
- If you can't escape, float or tread water.
- If you're caught in a rip current, don't panic. Relax and let the current carry you out to sea.
- If you need help, call or wave for assistance.
- Remember: *¡Nunca nadar solo!*

www.ripcurrents.noaa.gov
 www.usfa.org

Never swim alone - Nunca nadar solo


@NWSBrownsville weather.gov/rgv



Storm Prediction Center

In "High" Threat Area (and "hatched"):

Consider Building Construction:




Construction Quality	Implicit Vulnerability	Threat Condition	Risk Level	Pre-Event Resiliency	Evidence
Poor	Substantial+	(unusually) High	Extreme	Little to None (no means to harden home prior to event)	Donna, TX, 2015
Well-Built	Marginal	(unusually) High	Moderate to High	Strength of walls and roof; internal windowless rooms, double-pane windows	Sunnyvale, TX, 2015
Hurricane-Resilient	Near Zero	(unusually) High	Low to none	Miami-Dade rated "steel" home; 130+ mph rated windows and doors or similar shutter systems that can be activated in moments	Punta Gorda, Florida, 2004

Weather Prediction Center

In "Slight" (Low Probability) Threat Area.

Note: Rainfall **rate** is not explicitly factored into calculation

Threat of 1 to 6 hour rainfall exceeding Flash Flood Guidance



Geographic Location	Drainage Situation	Threat Condition	Risk Level	Pre-Event Resiliency (Prepare For)
Low Lying	Good	Low	Low	<ul style="list-style-type: none"> Roads: Know which are perilous Home: Minimum preparedness (seals/sandbags)
Low Lying	Poor	Low	Moderate to High	<ul style="list-style-type: none"> Roads: Perilous on all drives Home: Seals, sandbags, first floor items moved higher
Higher Ground	Poor	Low	Low to Moderate	<ul style="list-style-type: none"> Roads: Keep track of roads. Some will be perilous. Home: Minimum preparedness (seals/sandbags)



Weather Forecast Office: Outlook (Fog)

Enhanced Hazardous Weather

- Vulnerability from fog differs from rainfall, wind, and ocean currents as it does not create a *direct* impact
- At limited, elevated, and significant levels, *risk* can be related to the following:
 - Day vs. Night
 - Urban vs. Rural
 - Vehicle lights (fog lights vs. “downroad” HD vs. incandescent)
 - Other vehicle safety features (tire tread/inflation, brakes, wipers)
- At “extreme”, risk and threat are equal here (zero visibility is...zero!!)

Fog Risk
This Afternoon/Tonight
Current Time - 6 am

Valid: 12/08/2018 02:00 PM - 12/09/2018 05:00 AM EST

24 Hr. Hazards	Day	Sun	Mon	Tue	Wed	Thu	Fri
Tornado	█						
Hail	█						
Thunderstorm Wind Gust	█						
Severe Thunderstorms	█						
Lightning	█						
Flooding	█						
Fire Weather	█						
Fog	█						
Non Thunderstorm Winds	█						
Excessive Heat	█						
Coastal Flood	█						
High Surf	█						
Marine Hazard	█						
Freezing Spray	█						

National Weather Service Taunton, MA
12/08/2018 04:41 PM EST
Follow Us: [f](#) [t](#) [v](#)
weather.gov/Boston


Fog Legend **Fog Safety Tips**

Risk Level	Definition
None	No risk of fog.
Limited	Fog with visibilities less than or equal to 1 mile.
Elevated	Fog with visibilities less than or equal to 1/2 mile.
Significant	Fog with visibilities less than or equal to 1/4 mile.
Extreme	Fog with near zero visibilities.



Weather Forecast Office – Rip Currents

All rip currents are dangerous by definition. We're actually talking about a threat of rip current intensity



Swim Skill Level	Rip Current Intensity	Risk	Resiliency Actions
Poor (little to no swim training, up to American Red Cross (ARC, Level 2))	Low	Moderate to High	Waist deep water with flotation device
	Moderate	High	Knee deep water with flotation device
	High	Extreme	Toes in water only
Average (Equivalent swim training of ARC Level 5)	Low	Low to Moderate	Swim but be aware and ready to swim out of the current
	Moderate	Moderate to High	Swim with flotation device and be ready to swim out of the current. If any doubt in abilities, remain in waist deep water
	High	High to Extreme	Knee deep with flotation device
Excellent (Equivalent of swim training of ARC Level 6+; "seasoned" surfer for multiple wave regimes)	Low	None to Low	Safe swimming
	Moderate	Low to Moderate	Swim but be aware and ready to swim out of the current
	High	Moderate to High	Swim with flotation device and ready to swim out of current. High risk a challenge to the most expert swimmers




NATIONAL WEATHER SERVICE

Protecting Lives and Property for 150 Years

Building a Weather-Ready Nation //19

Getting it Right: Hurricane Threats and Impacts

(HTI)




THIS is risk communication!


Wind Threat	Potential Wind Impacts
Wind greater than 110 mph	DEVASTATING TO CATASTROPHIC Prepare for structural damage to sturdy buildings, some with complete roof failure, and complete destruction of poorly built structures. Numerous large trees snapped and uprooted. Widespread power and communications outages. Locations may be uninhabitable for weeks.
Threat for wind 74-110 mph	EXTENSIVE Prepare for considerable roof damage to sturdy buildings, with some window, door, garage failure leading to structural damage. Mobile homes severely damaged, with some destroyed. Large areas with power and communications outages.
Threat for wind 58-73 mph	SIGNIFICANT Prepare for structural damage to sturdy buildings, with some window, door, garage failure leading to structural damage. Mobile homes severely damaged, with some destroyed. Large areas with power and communications outages. Large trees snapped and uprooted, more numerous for shallow-rooted varieties. Scattered power outages, more prevalent in areas with above-ground lines.
Threat for wind 39-57 mph	LIMITED Prepare for damage to porches, awnings, carports, sheds, and unanchored mobile homes. A few trees snapped or uprooted. Scattered power and communications outages.
Wind less than 39 mph	LITTLE TO NONE Prepare for little to no damage, mainly from falling palm fronds and movement of lightweight unfastened objects such as lawn furniture.

The Proposal: Replace Usage of “Risk” with “Threat”!

Good starting points, as these examples include true threat based on probability forecasts





Threat of exceeding flash flood guidance (10-20 percent in “slight” area) within 25 miles of a point



Threat of 58+ and 75+ mph wind within 25 miles of a point

The Proposal: Replace Usage of “Risk” with “Threat”!

Work to do! These are deterministic forecasts of elements related to potential hazards; even “threat” is not strictly correct



Risk Level	None	Definition
None	No risk of fog.	
Limited	Fog with visibilities less than or equal to 1 mile.	
Elevated	Fog with visibilities less than or equal to 1/2 mile.	
Significant	Fog with visibilities less than or equal to 1/4 mile.	
Extreme	Fog with near zero visibilities.	

Risk Level	None	Definition
None	No High Surf Risk.	
Limited	Wave height >= 2 feet and Wave Period > 3 seconds.	
Elevated	Wave Height >= 4 feet and Wave Period > 4 seconds.	
Significant	Wave Height >= 6 feet and Wave Period > 5 seconds.	
Extreme	Wave Height > 8 feet.	

Threat of visibility levels as assigned. Most likely based on a deterministic forecast of visibility and fog occurrence

Threat of High Surf based on deterministic wave height and onshore swell period

Threat of intense rip currents, based on deterministic heuristics of offshore seas and swell.

Getting There

- Starting point: Replace the term risk with the term threat for probabilistic forecasts of hazards (events)
- Next steps/ongoing:
 - Develop probabilistic forecasts for all potential hazards (events) to create new threat matrices
 - Continue developing multi-level impact provision, at least for “most likely” and “reasonable worse case” outcomes for all potential hazards (non-tropical cyclone flooding, winter weather, wildfire growth/spread, non-convective wind, etc.)
- Through the 2020s:
 - Continue to develop potential impacts targeted to neighborhood – or even home/business – level by leveraging dynamic GIS data – based on “most likely” and “reasonable worse case” outcomes. **Community partners are key to providing resiliency/vulnerability specifics.**

NOW we're talking risk communication. Let's do this!



NATIONAL WEATHER SERVICE

Protecting Lives and Property for 150 Years

Building a Weather-Ready Nation //23



NATIONAL WEATHER SERVICE

Protecting Lives and Property for 150 Years

Thank You!

Questions?

Contact:

Barry S. Goldsmith

barry.goldsmith@noaa.gov

956-572-1492



@wxdancer

