

Weather Watch

NWS Missoula, Montana

May — 2016



Inside this issue:

Snowpack Melt 2

Flash Flood 3 Concerns

Submitting Storm 4
Reports

Fire Season **5-8** Outlook

Follow us on Social Media!

Weather Maker 10
Word Search


Normal snowpack melting quickly in western Montana & north central Idaho


Submitted by Ray Nickless

The winter of 2015-2016 produced an average snowpack for western Montana and north central Idaho, however, near record warmth for the month of April has melted much of that snow.

April I snowpack percentages were near normal but by the time we reached the end of April, most of the snowpack was far below normal.


What does the early snowmelt runoff mean for MT & ID rivers and streams? Most rivers and streams that have been flowing at well above average flows for the month of April will now be transitioning to a more normal flow for the month of May.






Page 2 May — 2016

Normal snowpack melting quickly in western Montana & north central Idaho continued..



The summer months of June, July and August should produce below normal stream flows and will be heavily dependent on rainfall to keep the streams from getting too low during the later summer months.




May — 2016 Page 3

Western Montana & North Central Idaho Forest Fires of 2015 leave Flash Flood Concern for Summer of 2016

Contributed by: Ray Nickless

The forest fires that occurred during the summer of 2015 in parts of western Montana and north central Idaho have now left barren landscapes that are susceptible to flash floods when summer thunderstorms occur. The National Weather Service teamed up with the **United States Forest** Service to assess flash flooding potential in the forest fire burn areas of western Montana and north central Idaho. The findings from their efforts have led to concerns for flash floods and debris flows in the following burn areas: Municipal Complex near Orofino, Woodrat Complex near Syringa, Tepee Springs Complex east of Riggins and the West Fork Fish Creek Complex west of Missoula. For more information click on the following link: http:// www.wrh.noaa.gov/mso/ hydrology/FFBurnSite/



Submitting Weather Storm Reports

The Classic 1-800-676-6975

Leave a Message or Talk to a Forecaster

Tweet Us at @NWSMissoula

Post on Our Facebook Page @NWSMissoula

Submit a Report on Our Website



Page 5 May — 2016

2016 Predictive Services Northern Rockies Geographical Area (NRGA) Fire Season Outlook

Contributed by Bryan Henry/Michael Richmond, Meteorologists, USFS Northern Rockies Coordination Center, Missoula MT

Annual wildfire acreages in the NRGA vary significantly from year to year, driven by different climatic and fuels characteristics. As we see in **image I**, the 1998-2015 NRGA fire season acreages plot, since 1998 (when NRGA records became the most accurate), there have been six peak seasons of 746,000 to 1.5 million acres, separated by 2-4 years of quieter seasons of 250,000 acres or less. With the exception of 2006/07, when there were two large seasons back to back. There also appears to be a six-year cycle in play, dating from at least 1988, with large seasons (1988/1994/2000/2006/2012...). 2015's total of 746,000 acres was the smallest of the six post-1998 peak seasons, and was driven largely by the severe drought that occurred west of the Continental Divide in last year's spring and summer.





Image 1: 1998-2015 NRGA Fire Season Acreages and Missoula Fire Season Average Temp. Plot

For our outlook this year, there are some similarities to last year, as we head into the later spring and summer, but also significant differences that will be guiding us, which are illustrated in **image 2**. Starting with last fall, the region entered into it with severe drought conditions west of the Continental Divide, and also as the strongest ever measured El Nino (ENSO) conditions were occurring in the eastern Pacific.

May — 2016 Page 6

2016 Predictive Services Northern Rockies Geographical Area (NRGA) Fire Season Outlook continued...

Image 2: NRGA Fire Season Severity Factors



El Nino falls/winters tend to be somewhat drier, and usually much warmer than average for our region, but this past one brought average to near-average precipitation amounts to most areas, as we see in image 3, our water-year precipitation (Oct 01 to present). In fact, drought conditions have been largely eliminated

throughout the region, and latest official long-range projections (image 4) keep the region

drought-free through the end of July. A significant difference from last year, west of the divide.




Image 3: Western US Water-Year (Oct.01 to Present) Precipitation, NOAA/Western Region Climate Center

Page 7 May — 2016

2016 Predictive Services Northern Rockies Geographical Area (NRGA) Fire Season Outlook continued...

Image 4: Current NOAA/Climate Prediction Center Drought Outlook Through July

One unfortunate similarity to last year, this year has seen an early melt-out of our lower and middle elevation mountain snowpack's, which was a factor in last year's fire season severity. El Nino winter/springs in the NRGA tend to exhibit well above-average temperatures, and this year has been no exception, as a greater frequency of weather systems entering into the region from the southwest and west occurs, bring very mild Pacific air inland, and limiting incursions of colder air from Canada. However, one key difference, and very likely the most significant for our season this





Image 5: NOAA/Climatic Prediction Center El Nino Status/Forecast and Previous NRGA Analog Years



year, is that our region tends to receive somewhat greater than average precipitation in the May through at least the mid -July period, along with near to slightly below average temperatures.

Continued —

May — 2016 Page 8

2016 Predictive Services Northern Rockies Geographical Area (NRGA) Fire Season Outlook continued...

While our temperatures have been much warmer than average so far this spring region wide, we are anticipating these to trend closer to average levels as we move forward toward summer. This is what has occurred in our previous analog years, 1983/1992/1998/2010, when we had moderate to strong El Nino conditions over the preceding fall/winter (image 5). These years had quieter seasons in the 250,000 acre or less category, in spite of the fact that these years also had relatively skimpy, and earlier melting mountain snowpack's, as we have this year.

Thus, our official projection of "normal" conditions, image 6, for July and August. However, this does not mean that there won't be significant large fire occurrence, with several Type I and 2 suppression teams deployed at times. But that the likelihood of lengthy extended periods of this is much lower this year, than in 2015 and other peak years. Areas of possible concern for enhanced activity this year are near and along the Front Range, in our Predictive Service Areas (PSAs) 07/08/10/11 and possibly far North Idaho and Northwest Montana (PSAs 01 through 06), where drought-stressed vegetation from last year could be a factor.




Image 6: Official Significant Wildland Fire Potential July/August 2016

Follow Us On Facebook, Twitter and YouTube



Or Visit Us at WWW.WEATHER.GOV/MISSOULA

NATIONAL WEATHER SERVICE

Primary Business Address Address Line 2 Address Line 3 Address Line 4

Phone: 555-555-5555 Fax: 555-555-5555 E-mail: someone@example.com

Weather Maker

```
GLH
           MUEHDJJBK
         EVAPORATIONAN
      PFCWI LDFI RELMFOSO
     BLOYLSLEETDPEPCIPLA
   D P R Q Q W Z Y M S U L U M U C T V W L M
   HGMBGZUKCIRRUSRDAOOT
  IMBULJ
              KSEIW
                         TABMMF
  XUDGIC
              NGUMN
                          MNEFT
                         1
 TAHORZFMQOHXYZZWIUPLI
 S M F W M Z Z S W M M K R B L K J J I
                          TAEAUX
 ETVNRAVAOJLAMZXJFUCDROINM
V M B C B Q R Z X K I I H Z R U L B P E H Y R J D H N
  LAUDDJRANVANDOERPRQQOXE
  UGRLIGHTNINGOABNOPI WLTRVI
       EEWUJIFDDGMZNWZ
                             0 L
         IAZNVPBRNYUPE
 SDORM
          CADMGUVPHZS
                           TYHTG
  UMDRY
                          HSTRS
  NBQAIT
                         YFAAJF
   GMPNCELEPUARGXVAPET
   B P I K R A C K E L T S K H S N W U U U O
     X M N E O N C D D U A I
                    HCGSLI
      ENRQTECIHSOLQCMRO
         TDROUGHTKWIND
           YRGGEFOQN
```

VHF

HAIL
SNOW
RAIN
SLEET
GRAUPEL
THUNDER
LIGHTNING
TORNADO
RAINBOW
WEATHER
METEOROLOGY
CIRRUS
STRATUS

CUMULUS
NIMBUS
FOG
WIND
FLOOD
BLIZZARD
DOWNBURST
PRECIPITATION
EVAPORATION
HURRICANE
WILDFIRE
DROUGHT

