WEATHER BUREAU Office of Hydrology Washington, D.C.

February 1967

Annotated Bibliography of ESSA Publications of Hydrometeorological Interest

J. L. H. PAULHUS



Technical Memorandum WBTM HYDRO-2

U.S. DEPARTMENT OF COMMERCE / ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION

WEATHER BUREAU TECHNICAL MEMORANDUM

OFFICE OF HYDROLOGY

The Office of Hydrology develops procedures for making river and water supply forecasts, analyzes hydrometeorological data for planning and design criteria for other agencies, and conducts pertinent research and development.

Technical material by staff members, cooperators, and contractors is preprinted in limited quantities for prompt distribution of results which may be preliminary. This distribution does not constitute formal scientific publication. Reference to material in this series should identify it as an unpublished manuscript.

These Weather Bureau Technical Memoranda are available from the Clearinghouse for Federal Scientific and Technical Information, U. S. Department of Commerce, Sills Building, Port Royal Road, Springfield, Virginia 22151.

No. 1 Infrared Radiation from Air to Underlying Surface. Vance A. Myers. May 1966.

U.S. DEPARTMENT OF COMMERCE ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION WEATHER BUREAU

Weather Bureau Technical Memorandum HYDRO-2

ANNOTATED BIBLIOGRAPHY OF ESSA PUBLICATIONS OF HYDROLOGICAL INTEREST

J. L. H. Paulhus

OFFICE OF HYDROLOGY TECHNICAL MEMORANDUM NO. 2

WASHINGTON, D.C. February 1967



CONTENTS

<u>Item</u>		Page
	Introduction	1
1.	Climatological observations and data	
2.	Dewpoints, maximum persisting	
3.	Drought	
4.	Evaporation	
5.	Floods	
6.	Networks, hydrologic	
7.	Precipitable water	6
8.	Precipitation, depth-area-duration analysis	
9.	Precipitation, excessive and maximum observed	
10.	Precipitation gages	
11.	Precipitation, mean and normal	
12.	Precipitation, probable maximum	
13.	Radiation, solar and sky	
14.	Rainfall frequency	
15.	Relative humidity	
16.	River stages	
17.	Runoff	14
18.	Snow	
19.	Station history	15
20.	Storms	16
21.	Storm surges	
22.	Streamflow frequency analyses	17
23.	Temperature	
24.	Water supply forecasts	18
25.	Wind	18
	Price list	19

ANNOTATED BIBLIOGRAPHY OF ESSA PUBLICATIONS

OF HYDROMETEOROLOGICAL INTEREST

October 1966

Many requests from engineers and others for hydrometeorological information indicate many are not aware that much of the information required is already available in published form. Bibliographies of government publications are issued periodically, but they cover publications in many fields of interest, and the selection of publications providing information in some particular field is often difficult.

This bibliography is especially intended to serve the engineer by bringing to his attention the publications of hydrometeorological material that he often requires. Some of the publications listed are included also in other indices covering meteorological or climatological subjects and the second secon

The bibliography, with a few exceptions, does not include periodicals such as the monthly and annual Climatological Data, which are all described in detail in "Selective Guide to Published Climatic Data Sources Prepared by U. S. Weather Bureau," Key to Meteorological Records Documentation No. 4.11, 1963 (see item 1.9, page 3). Other publications have been omitted because the procedures described or data presented have been rendered obsolete by more recent works, or because they are not available for distribution. A few out-of-print reports are listed because they are the only sources of some useful information. These publications are on the shelves of many libraries and may be available on a loan basis. Also, local Weather Bureau offices maintain a file of many of these publications for reference purposes.

Key to parenthetical identifiers has (1.0 hads

number of days with precipitation edual to or greater

.isarcon it eose bas esided io esires bas (asasc

- (GPO) Available from Superintendent of Documents, U. S. Government Printing Description, D. C. (20402 to oman) country to assume the second of the second of
- (WB) Available from Chief, Water Management Information Division, Office of Hydrology, ESSA -- Weather Bureau, Silver Spring, Md. 20910
- (X) Out of print Trans available for distribution to sensor bus

"Monthly Mormals of Temperature, Precipication and Heating Degree Days, (mame of State)," Climatography of the United States Po. 81, (GPC...50.05)

Tabulations of station normals based on 1931-60 pariod

1. CLIMATOLOGICAL OBSERVATIONS AND DATA

1.1 "Instructions for Climatological Observers," <u>Weather Bureau Circular B</u>, 11th ed., rev. 1962 (GPO...\$0.50)

Describes (1) the standard Weather Bureau instruments
for measuring temperature, precipitation and evaporation, (2) the exposure of the instruments, and (3) the
at opposedures for making the measurements.

1.2 Local Climatological Data with Comparative Data (name of station and year), (GPO...\$0.15)

Issued yearly for each of about 200 U. S. cities where
Weather Bureau has first-order stations. Lists monthly
precipitation and means of temperature, relative humidity
and wind for the year of issue. Average temperature and
total precipitation are tabulated for each month of record.
Tables of normals, means and extremes of temperature, precipitation, relative humidity, wind and cloudiness for the
period of record are also included. Also summarizes information on station locations, elevations, exposures, instrumentations from date station was established. (The 1962
issue contained only monthly data for that year.)

1.3 "Climatic Summary of the United States--Supplement for 1931 through 1952, (name of State)," Climatography of the United States No. 11, (GPO...\$0.20 to \$0.70; price list on last two pages.)

Lists monthly and annual precipitation, temperature, snowfall for each month and year. Also presents mean number of days with precipitation equal to or greater than 0.10 and 0.50 inch, mean evaporation, mean maximum and minimum daily temperatures, mean number of days with temperature greater than 90°F or less than 32°F.

1.4 "Climates of the States, (name of State)," Climatography of the United States No. 60, (GPO...\$0.10 to \$0.25; price list on last two pages.)

Presents a short description of the climate (about 6 pages) and series of tables and maps of normal, mean and extremes of precipitation, temperature, wind, relative humidity.

1.5 "Monthly Normals of Temperature, Precipitation and Heating Degree Days, (name of State)," Climatography of the United States No. 81, (GPO...\$0.05)

Tabulations of station normals based on 1931-60 period.

1.6 "Summary of Hourly Observations, (name of City)," Climatography of the United States No. 82, (GPO...\$0.10)

Presents total number of occurrences of precipitation, temperature, wind speed and direction, relative humidity and cloudiness for various classes of magnitude on an hourly, monthly and annual basis during the 10-year period, 1951-60. Summaries are available for about 300 key U. S. cities.

1.7 "Climatic Summary of the United States--Supplement for 1951 through 1960, (name of State)," Climatography of the United States No. 86, (GPO...\$0.35 to \$1.00; price list on last two pages.)

Same/type of data as in 1.3 above. " inguord langularous shill fit

1.8 Climatological Data, National Summary, (year), (GPO...\$0.40)

Presents summaries of river and flood conditions; basic climatological data for the year; long-period normals, means and extremes; excessive short-duration rainfall; monthly and annual total sunshine and percent of possible; and monthly and annual solar radiation. (This publication issued on monthly basis also, GPO...\$0.20)

1.9 "Selective Guide to Published Climatic Data Sources Prepared by the U. S. Weather Bureau," Key to Meteorological Records Documentation No. 4.11, 1963 (GPO...\$0.50)

Describes the various types of climatic data published, presents examples of the formats of the publications, and tells how they may be obtained.

Describes the various climatic maps issued by the Environmental Data Service in a series called Climatic Maps of the United States (formerly named National Atlas). The maps are printed on 16" X 22" paper and may be obtained separately at an average cost of about 10 cents apiece. Elements depicted include: precipitation, temperature, heating and cooling degree days, relative humidity, possible sunshine, solar radiation, wind, evaporation and snowfall.

Class A pan evaporation, (2) lake evaporation, and (3) Class A pan coefficient. Also shows geographic distribution of average May-Cotober evaporation and standard deviation of annual Class A pan evaporation Based on data for the period 1945-55 at 145 grations.

DEWPOINTS, MAXIMUM PERSISTING

2.1 "Maximum Persisting 12-hour 1000-mb Dewpoints (°F), Monthly and of Record," Climatic Maps of the United States, 1960, Catalog No. C30.22/4:D51 (GPO...\$0.10)

Data are presented on U. S. maps (1:30,000,000).

188 188 second because of 13. open Cought also . (Second to see) . 1881

kaista li us vad

3.1 "Meteorological Drought," Weather Bureau Research Paper No. 45, 1965 (GPO...\$0.40)

Develops an index of drought severity which permits time and regional comparisons has revir to actual additional and actual and actual and actual and actual and actual ac

pillalniar noiterph-dupph evisables ; sees tive bus ensit

salination aid?) ____4.nlEVAPORATION

4.1 "Mean Monthly and Annual Evaporation Data from Free Water Surface for the United States, Alaska, Hawaii, and the West Indies,"

Weather Bureau Technical Paper No. 13, 1950 (GPO...\$0.15)

Presents tables of average monthly and annual pan evaporation for the period of record ending 1949 for 242 stations with Class A pans, and for 61 stations with pans other than Class A.

4.2 "Evaporation from Pans and Lakes," Weather Bureau Research Paper
No. 38, 1955 (GPO...\$0.20)

Describes techniques for estimating reservoir evaporation from pan evaporation and other meteorological data.

4.3 "Evaporation Maps of the United States," Weather Bureau Technical Paper No. 37, 1959 (GPO...\$0.65)

Shows geographic distribution of average annual (1) Class A pan evaporation, (2) lake evaporation, and (3) Class A pan coefficient. Also shows geographic distribution of average May-October evaporation and standard deviation of annual Class A pan evaporation. Based on data for the period 1946-55 at 146 stations.

4.4 "Pan and Lake Evaporation," <u>Climatic Maps of the United States</u>, 1966 Catalog No. C30.22/4:Ev1 (GPO...\$0.10)

Data presented are same as those described in 4.3 above.

NOTE: Daily evaporation and wind movement are published in the monthly Climatological Data, and monthly and annual values in the annual issue give bear about the ann

has assis , espece destabling FLOODS no soldeliste admissif

Seemin of emilsely agrees is inclores and sedimose T

Red Miver of the North Basin, " ESSA Professional Packr Ma. -- 1986

5.1 "Kansas-Missouri Floods of June-July 1951," Weather Bureau Technical Paper No. 17, 1952 (GPO...\$0.60)

Describes the storms and floods and presents flood scenes and tabulations of hourly and daily rainfall amounts and river stages.

"Hiver Basin Mags Shewing Mydrologic

5.2 "Floods of April 1952--Upper Mississippi, Missouri, Red River of the North," Weather Bureau Technical Paper No. 23, 1954 (GPO...\$1.00)

Describes causes and development of the floods and presents daily meteorological and river stage data

5.3 "Hurricane Rains and Floods of August 1955, Carolinas to New England,"

Weather Bureau Technical Paper No. 26, 1956 (GPO...\$1.00)

Describes the storm and floods and presents flood as scenes and tabulations of hourly and daily rainfall amounts for eastern States from South Carolina to have Maine.

5.4 "Rainfall and Floods of April, May and June 1957 in the South-Central States," Weather Bureau Technical Paper No. 33, 1958 (GPO...\$1.75)

Describes the storms and floods and presents flood scenes and tabulations of hourly and daily rainfall amounts for stations in the storm area, Texas to ignore as an interest of the storm area, Texas to ignore as an interest of the storm area, Texas to ignore as a storm of the storm area, Texas to ignore a second of the storm area.

5.5 "Meteorology of Hypothetical Flood Sequences in the Mississippi River Basin," Hydrometeorological Report No. 35, 1959 (WB)

Describes meteorological situations associated with historical floods and derives hypothetical floods goldens for design purposes by combining historical floods.

5.6 "Snowmelt Floods of March-April 1960, Missouri and Upper Mississippi Basins," Weather Bureau Technical Paper No. 45, 1962 (GPO...\$1.25)

Describes causes and development of the floods and presents precipitation and river stage data and flood scenes.

mi asulsy isuess bus vidence bas , and lacing lorsuilly yidence in

5.7 "The March-May 1965 Floods in the Upper Mississippi, Missouri and Red River of the North Basin," ESSA Professional Paper No.--, 1966 (in press)

Presents statistics on flood and crest stages, areas and periods of flooding, warnings issued and flood damages.

Describes the meteorological events leading to these record-breaking floods.

Also see item 1.8.

6. NETWORKS, HYDROLOGIC

alt to boots of April 1952-- Upper Mississipi, Missouri, Red River of the

6.1 "River Basin Maps Showing Hydrologic Stations," Notes on Hydrologic Activities Bulletin No. 11, Inter-Agency Committee on Water Resources Subcommittee on Hydrology, 1961 (GPO...\$4.25)

A series of 89 contiguous river basin maps for the United States showing hydrologic networks as of early 1959. Most of the maps are scaled at about 15 miles to the inch and show locations of precipitation, temperature, evaporation, snow survey, streamflow, meteorological radar and water quality stations. Recording and non-recording instruments are identified. (This is not an ESSA publication, but was prepared under Weather Bureau supervision.)

7. PRECIPITABLE WATER

scenes and tabulations of hourly and daily rainfall

7.1 "Mean Precipitable Water in the United States," Weather Bureau Technical Paper No. 10, (GPO...\$0.30)

Presents tabulations and maps showing average monthly and annual distribution of atmospheric moisture in the layers from the surface to 8 km., and from 2 to 8 km. over the 48 States. Based on period of record and ending 1943.

7.2 "Tables of Precipitable Water and Other Factors for a Saturated Pseudo-Adiabatic Atmosphere," Weather Bureau Technical Paper No. 14, 1951 (X)

HII das 25. 1681 odebi II das 25. 1681 das 1 das 1 das 1 das 25. 1681 das 1 da

- .2221 .8. OPRECIPITATION, DEPTH-AREA-DURATION ANALYSIS 22. .2221 .soudsia : VX draf 22. .2221 .soudsia
- 8.1 "Manual for Depth-Area-Duration Analysis of Storm Precipitation,"

 Weather Bureau Cooperative Studies Technical Paper No. 1, 1946 (WB)

Describes the standard procedure used by various avoid to Federal agencies for making these analyses.

- 9. PRECIPITATION, EXCESSIVE AND MAXIMUM OBSERVED
- 9.1 "Excessive Precipitation Techniques," <u>Key to Meteorological Records</u>
 <u>Documentation No. 3.081, 1958 (GPO...\$0.10)</u>

excessive precipitation and the different ways the of abroad data were measured and published. Names the various periodicals in which these data were published.

NOTE: Excessive precipitation data are published in the annual issue of Climatological Data, National Summary (item 1.8 above).

9.2 "Maximum Recorded United States Point Rainfall for 5 Minutes to 24 Hours at 207 First-Order Stations," Weather Bureau Technical Paper No. 2, rev. 1963 (GPO...\$0.40)

Mile by State Climat.square.presented_inatables_andion_maps.taail0 state vd = III

9.3 "Maximum 24-Hour Precipitation in the United States," Weather Bureau Technical Paper No. 16, 1952 (X) 33-1881 bolise no beard single of noiseigness fauna new award abis esteved .gsm

Presents tables of maximum 24-hour amounts for the life period of record ending 1949 for 7,355 stations in larvie the 48 States.

Maps (1:20,000,000) show mean precipitation (in.) for each month by State climatic divisions over the United States. Based on period 1931-55.

9.4 "Maximum Station Precipitation for 1, 2, 3, 6, 12 and 24 Hours,"

Weather Bureau Technical Paper No. 15, (GPO)

Part I: Utah, 1951, .25; Part II: Idaho, 1951, .25; Part III: Florida, 1952, .45; Part IV: Maryland, Delaware, and District of Columbia, 1953, .25; Part V: New Jersey, 1953, .25; Part VI: New England, 1953, .60; Part VII: South Carolina, 1953, .25; Part VIII: Virginia, 1954, .50; Part IX: Georgia, 1954, .40; Part X: New York, 1954, .60; Part XI: North Carolina, 1955, .55; Part XII: Oregon, 1955, .55; Part XIII: Kentucky, 1955, .45; Part XIV: Louisiana, 1955, .35; Part XV: Alabama, 1955, .35; Part XVI: Pennsylvania, 1956, .65; Part XVII: Mississippi, 1956, .40; Part XVIII: West Virginia, 1956, .35; Part XIX: Tennessee, 1956, .45; Part XX: Indiana, 1956, .55; Part XXI: Illinois, 1958, .50; Part XXII: Ohio, 1958, .65; Part XXIII: California, 1959, \$1.50; Part XXIV: Texas, 1959, \$1.00; Part XXV: Arkansas, 1960, .50; Part XXVI: Oklahoma, 1961, .45.

Presents tables of maximum amounts for the period 1940-50 for about 2,000 recording-gage stations in 27 States.

strong is inclosed 10. PRECIPITATION GAGES is inclosed swime said

10.1 "History of Weather Bureau Precipitation Gages," Key to Meteorological Records Documentation No. 3.082, 1963 (GPO...\$0.15)

Describes the various gages that have been used or are now in use.

11. PRECIPITATION, MEAN AND NORMAL

11.1 "Mean Annual Precipitation in Millions of Gallons of Water Per Square Mile by State Climatic Divisions," Climatic Maps of the United States, 1959, Catalog No. C30.22/4:P91 (GPO...\$0.10)

Data based on period 1931-55 are shown on a 1:10,000,000 map. Reverse side shows mean annual precipitation in millions of gallons of water per capita by State Climatic Divisions.

11.2 "Mean Monthly Total Precipitation, January-August," Climatic Maps of the United States, 1960, Catalog No. C30.22/4:P91/4 (GPO...\$0.10)

Maps (1:20,000,000) show mean precipitation (in.) for each month by State climatic divisions over the United States. Based on period 1931-55.

11.3 "Mean Monthly Total Precipitation, September-December," Climatic Maps of the United States, 1960, Catalog No. C30.22/4:P91/5 (GPO...\$0.10)

Maps (1:20,000,000) show mean precipitation (in.) for each month by State climatic divisions over the United States. Based on period 1931-55. The reverse side identifies the divisions by name on a 1:10,000,000 map.

11.4 "Mean Annual Total Snowfall (inches)," Climatic Maps of the United States, rev. 1966, Catalog No. C30.22/4:Sn6, (GPO...\$0.10)

Data based on period of record through 1960 are presented on a U. S. map (1:10,000,000). Reverse side shows mean monthly snowfall for 75 selected stations.

"Mean Annual Total Precipitation by State Climatic Divisions,"

Climatic Maps of the United States, 1960, Catalog No. C30.22/4:P91/2

(GPO...\$0.10)

values for durations of 6, 12 and 45 hours and for areas

Map (1:10,000,000) showing average precipitation (in.) for the period 1931-55 for each climatic division. The reverse side shows the mean monthly total precipitation for selected climatic divisions.

11.6 "Normal Annual Total Precipitation," Climatic Maps of the United States, rev. 1966, Catalog No. C30.22/4:P91/7 (GPO...\$0.10)

Map (1:10,000,000) showing normal annual precipitation (in.) based on period 1931-60 for the United States.

Reverse side shows normal total precipitation by months for 100 selected stations.

with ".pe 00% of gu sawys bas

11.7 "Normal Monthly Total Precipitation," Climatic Maps of the United States, 1965, Catalog No. C52.11:P91pt.1-3 (GPO...set of 3 maps, \$0.30)

Data, based on period, 1931-60, are presented on 12 maps simpostation of about 1:15,000,000 scale.xxxx sidedors no process missing

11.8 "Mean Number of Days with 0.01 Inch or More of Precipitation, Monthly and Annual," Climatic Maps of the United States, 1963, Catalog No. C30.22/4:P91/6 (GPO...\$0.10) and notationary processing the processing the

Data are presented on U. S. maps (1:30,000,000).

11.9 "Normal Monthly Number of Days with Precipitation of 0.5, 1.0, 2.0 and 4.0 Inches or More in the Contiguous United States," Weather Bureau Technical Paper No. 57, 1966 (GPO...\$1.50)

Four series of 12 U. S. maps each (1:10,000,000) present data based on period 1931-60.

12.5 "Probable Maximum Precipitation and Rainfall-Frequency Data for

11.9 Also see item 1.5 for monthly normals of precipitation.

12. PRECIPITATION, PROBABLE MAXIMUM

12.1 "Seasonal Variation of the Probable Maximum Precipitation East of the 105th Meridian for Areas from 10 to 1,000 Square Miles and Durations of 6, 12, 24, and 48 Hours," <u>Hydrometeorological Report No. 33</u>, 1956 (WB)

Presents maps showing the 24-hour, 200-sq. mi. probable maximum precipitation and curves for adjusting those values for durations of 6, 12 and 48 hours and for areas from 10 to 1,000 sq. mi.

12.2 "Generalized Estimates of Probable Maximum Precipitation for the United States West of the 105th Meridian for Areas to 400 Square Miles and Durations to 24 Hours," Weather Bureau Technical Paper No. 38, 1960 (GPO...\$1.00)

Discusses major storms and presents maps showing 1-, 6-, and 24-hour probable maximum precipitation for 10 sq. mi. An interpolation diagram and area-reduction curves are provided for estimating values for intermediate durations and areas up to 400 sq. mi.

12.3 "Generalized Estimates of Probable Maximum Precipitation and Rainfall Frequency Data for Puerto Rico and Virgin Islands,"

<u>Weather Bureau Technical Paper No. 42</u>, 1961 (GPO...\$0.50)

Presents maps showing 1-, 6-, and 24-hour probable maximum point precipitation and provides an interpolation diagram and area-reduction curves for obtaining values for intermediate durations and for areas up to 400 sq. mi.

12.4 "Interim Report on Probable Maximum Precipitation in California,"

<u>Hydrometeorological Report No. 36</u>, 1962 (WB)

Provides a procedure for estimating probable maximum precipitation for durations up to 72 hours and for areas up to 5,000 sq. mi.

12.5 "Probable Maximum Precipitation and Rainfall-Frequency Data for Alaska for Areas to 400 Square Miles, Durations to 24 Hours, and Return Periods from 1 to 100 Years," Weather Bureau Technical Paper No. 47, 1963 (GPO...\$1.00)

Same type of date described in 12.3 above.

12.6 "Probable Maximum Precipitation in the Hawaiian Islands," | Hydrometeorological Report No. 39, 1963 (WB) | House Tales and State of the Hawaiian Islands," | Hydrometeorological Report No. 39, 1963 (WB) | Hydr

Presents point values of 24-hour PMP on maps and a deptharea-duration relation for reducing those values for durations down to 30 min. and for areas up to 200 sq. mi.

12.7 "Probable Maximum Precipitation over the Susquehanna River Basin above Harrisburg, Pa.," <u>Hydrometeorological Report No. 40</u>, 1965 (WB)

Presents estimates for durations from 6 to 72 hours and for (areas from 10 sq. mi. to total basin area (24,100 sq. mi).

12.8 "Probable Maximum and TVA Precipitation over the Tennessee River

(Basin above Chattanooga," Hydrometeorological Report No. 41, 1965,

(GPO...\$0.75)

Presents estimates for durations from 6 to 72 hours for the total basin (21,400 sq. mi.) and one sub-area (7,980 sq. mi.). Variation of PMP during March-September season is also given.

12.9 "Meteorological Conditions for the Probable Maximum Flood on the Yukon River above Rampart, Alaska," <u>Hydrometeorological Report No. 42</u>, 1966 (GPO...\$0.70)

Presents estimates of probable maximum precipitation and critical values of temperature, wind, and snow cover for optimum snowmelt conditions.

12.10 "Probable Maximum Precipitation, Northwest States," <u>Hydrometeorological</u>
<u>Report No. 43</u>, 1966 (in press)

Presents generalized estimates of probable maximum

precipitation for areas up to 5,000 sq. mi. and durations

to 72 hours. Also presents critical sequences of wind,

temperature and dewpoint for optimum snowmelt conditions.

13. RADIATION, SOLAR AND SKY

for return periods of 2, 5, 10, 25, 30 and 100 years

13.1 "Sunshine and Cloudiness at Selected Stations in the United States, Alaska, Hawaii and Puerto Rico," Weather Bureau Technical Paper No. 12, 1951 (GPO...\$0.15)

Average monthly values based on period of record ending 1948 are presented in tabular form for about 80 U.S. stations. As because of assist and a substation of assistance of assistance

13.2 "Weekly Mean Values of Daily Total Solar and Sky Radiation," Weather

Bureau Technical Paper No. 11, 1949 (GPO...\$0.15) Supplement No. 1,

1955 (GPO...\$0.05)

Presents seasonal variation curves of radiation for 30 U.S. stations. The supplement presents data for an additional five stations.

13.3 "Mean Daily Solar Radiation, Monthly and Annual," Climatic Maps of the United States, 1964, Catalog No. C30.22/4:So4 (GPO...\$0.10)

Data (in langleys) are shown on U. S. maps (1:30,000,000).

13.4 "Mean Total Hours of Sunshine, Monthly and Annual," <u>Climatic Maps</u> of the United States, 1963, Catalog No. C30.22/4:Su2 (GPO...\$0.10)

Data, based on period 1931-60, are presented on 1:30,000,000 maps.

13.5 "Mean Percentage of Possible Sunshine, Monthly and Annual,"

<u>Climatic Maps of the United States</u>, 1960, Catalog No. C30.22/4:Su7

(GPO...\$0.10)

Data, based on 164 stations with 20 or more years of record through 1959, are presented on 1:30,000,000 maps.

Also see item 1.8 for monthly and annual sunshine and percent of possible, and monthly and annual solar radiation.

14. RAINFALL FREQUENCY

14.1 "Rainfall Intensity-Duration-Frequency Curves for Selected Stations in the United States, Alaska, Hawaiian Islands and Puerto Rico,"

Weather Bureau Technical Paper No. 25, 1955 (X)

Curves for 203 stations show 5-min. to 24-hour intensities for return periods of 2, 5, 10, 25, 50 and 100 years.

14.2 "Rainfall Frequency Atlas of the United States for Durations from 30 Minutes to 24 Hours and Return Periods from 1 to 100 years,"

Weather Bureau Technical Paper No. 40, 1961, reprinted 1963,

(GPO...\$1.25)

rae che baroz, posterio

Includes 49 maps showing 30-min., 1-, 2-, 3-, 6-, 12and 24-hour point precipitation for return periods of 1, 2, 5, 10, 25, 50 and 100 years, and interpolation diagrams for obtaining values for intermediate durations and return periods. Ratios for obtaining 5-, 10- and 15-min. precipitation from 30-min. values are also presented. Area-reduction curves for reducing point values for areas up to 400 sq. mi. are included

14.3 "Generalized Estimates of Probable Maximum Precipitation and Rainfall-Frequency Data for Puerto Rico and Virgin Islands,"

Weather Bureau Technical Paper No. 42, 1961 (GPO...\$0.50)

Presents same type of data described in 14.2 above.

14.4 "Rainfall-Frequency Atlas of the Hawaiian Islands for Areas to 200 Square Miles, Durations to 24 Hours, and Return Periods from 1 to 100 Years," Weather Bureau Technical Paper No. 43, 1962 (GPO...\$0.40)

Presents same type of data described in 14.2 above.

14.5 "Probable Maximum Precipitation and Rainfall-Frequency Data for Alaska for Areas to 400 Square Miles, Durations to 24 Hours, and Return Periods from 1 to 100 Years," Weather Bureau Technical Paper No. 47, 1963 (GPO...\$1.00)

Presents same type of data described in 14.2 above.

14.6 "Two- to Ten-Day Precipitation for Return Periods of 2 to 100 Years in the Contiguous United States," Weather Bureau Technical Paper
No. 49, 1964 (GPO...\$1.00)

Includes 24 maps showing 2-, 4-, 7- and 10-day point precipitation for return periods of 2, 5, 10, 25, 50 and 100 years and interpolation diagrams for obtaining values for intermediate durations and return periods.

Area-reduction curves for reducing point values for areas up to 400 sq. mi. are also included.

14.7 "Two- to Ten-Day Rainfall for Return Periods of 2 to 100 Years in the Hawaiian Islands," Weather Bureau Technical Paper No. 51, 1965 (GPO...\$0.30)

Presents same type of data described in 14.6 above.

14.8 "Two- to Ten-Day Precipitation for Return Periods of 2 to 100 Years in Alaska," Weather Bureau Technical Paper No. 52, 1965 (GPO...\$0.60)

Presents same type of data described in 14.6 above.

14.9 "Two- to Ten-Day Rainfall for Return Periods of 2 to 100 Years in Puerto Rico and Virgin Islands," Weather Bureau Technical Paper
No. 53, 1963 (GPO...\$0.30)

Presents same type of data described in 14.6 above.

15. RELATIVE HUMIDITY

15.1 "Mean Relative Humidity (%), Monthly and Annual," Climatic Maps of the United States, 1966, Catalog No. C30.22/4:H88 (GPO...\$0.10)

Data, based on 236 stations with 20 years or more of record through 1959, are presented on 1:30,000,000 maps.

(0.00) SOU 16. RIVER STAGES

16.1 <u>Daily River Stages</u> (year), (GPO...Issues for years prior to 1950 are out of print. Price of available issues: 1950, 1956, 1957, 1958 are each \$1.25; 1951, 1952, 1953, 1954, 1955, 1959, 1960, 1961, 1962 and 1963 are each \$1.00).

Presents daily river gage data, highest stages of record, and descriptions of gage locations.

17. RUNOFF

17.1 "Predicting the Runoff from Storm Rainfall," Weather Bureau Research Paper No. 34, 1951 (GPO...\$0.05)

Describes the technique for developing graphical rainfall-runoff relations.

17.2 "Methods of Flow Frequency Analysis," (see item 22.1).

18. SNOW

18.1 "Frequency of Maximum Water Equivalent of March Snow Cover in North Central United States," <u>Weather Bureau Technical Paper No. 50</u>, 1964 (GPO...\$0.25)

Describes relationships between maximum snow depths and their water equivalents. Presents two sets of six maps each showing water equivalent for the first and second halves of March for return periods of 2, 5, 10, 25, 50 and 100 years.

18.2 "Mean Annual Total Snowfall," <u>Climatic Maps of the United States</u>, rev. 1966, Catalog No. C30.22/4:Sn6 (GPO...\$0.10)

presented on a U. S. map (1:10,000,000). Reverse I may a sold of this map shows mean monthly snowfall for 75 selected stations. The work a sum has another another and the stations.

18.3 Snow Cover Surveys by Eastern Snow Conference, (WB)

This annual report presents monthly data on snow depths and water equivalents for the season December through April. The data are for some 700 stations in New England, New York and Pennsylvania.

18.4 Storage-Gage Precipitation Data for Western United States (GPO...\$0.50)

This annual publication presents data from remote areas from gages that require reading and maintenance only at monthly or seasonal intervals.

"almostial of amost fasting ylladigatorby to yeolorosism". A.G.

. amous gold19:a:STATION HISTORY os and sed becade

19.1 "Substation History for (name of State)," Key to Meteorological Records Documentation No. 1.1 (GPO...\$0.25 to \$1.25; price list on last two pages.)

Summarizes information on substation locations, elevations, exposures, instrumentations, records and observers from date station was established up to about 1955.

NOTE: Similar information is provided for some Weather Bureau first-order stations in Local Climatological Data with Comparative Data (see item 1.2).

19.2 "Decadal Census of Weather Stations, (name of State)," Key to Meteorological Records Documentation No. 6.11 (GPO. ..\$0.05 to \$0.15; price list on last two pages.) a gashastation no sale state of the state of

Presents seven maps showing weather stations in existence in January of the years 1890, 1900, 1910, 1920, 1930 and 1950.

20.1 "Mean Number of Thunderstorm Days in the United States," Weather Bureau Technical Paper No. 19, 1952 (GPO...\$0.15)

Tabulations and maps show mean monthly and seasonal number of days with thunderstorms for 266 U.S. stations.

20.2 "Meteorology of Flood-Producing Storms in the Mississippi River Basin," <u>Hydrometeorological Report No. 34</u>, 1956 (WB)

Describes characteristics of outstanding storms.

20.3 "North Atlantic Tropical Cyclones," Weather Bureau Technical Paper No. 36, 1959 (GPO...\$1.00)

Tracks and frequencies of hurricanes and tropical storms 1886-1958. Tracks are shown on maps for each year and by 10-day periods for each 10 years of record.

20.4 "Meteorology of Hydrologically Critical Storms in California,"

<u>Hydrometeorological Report No. 37</u>, 1962 (WB)

Describes characteristics of outstanding storms.

20.5 "Three-Dimensional Wind Flow and Resulting Precipitation in a Northern California Storm," Weather Bureau Research Paper No. 44, 1963 (GPO...\$0.35)

A reconstruction of the temperature, wind, pressure and moisture distributions in a major storm.

parrof radius warman 21. beSTORM SURGES its moderni ralimia : 2107

21.1 "Characteristics of the Hurricane Storm Surge," Weather Bureau Technical Paper No. 48, 1963 (GPO...\$0.70)

Describes development of storm surges and presents data on outstanding hurricane-produced surges along the Gulf and Atlantic Coasts.

3881 maswa 22. av STREAMFLOW FREQUENCY ANALYSES 20 boltag

22.1 "Methods of Flow Frequency Analysis," Notes on Hydrologic Activities
Bulletin No. 13, Inter-Agency Committee on Water Resources,
Subcommittee on Hydrology, 1966 (GPO...\$0.35)

Describes the five methods most commonly used by Federal agencies for making frequency studies of runoff at individual streamflow stations. Some of these methods are also used for analysis of rainfall frequency.

NOTE: This is not an ESSA publication, but ESSA is represented in the Subcommittee on Hydrology. To said and to as began in

23. TEMPERATURE

23.1 "Normal Daily Maximum, Minimum, Average, and Range of Temperature,"

<u>Climatic Maps of the United States</u>, 1966, Catalog No. C52.11:T24/pt.

1-12 (GPO...set of 12 maps, \$1.25) | Research to gradual the content of the content o

Data, based on period 1931-60, are presented on maps (1:20,000,000)--4 maps on each of the 12 sheets (one for each month). Reverse side of each sheet presents graphs for about 80 stations showing the highest and lowest temperatures of record through 1964 and the same of the month.

23.2 "Mean Annual Number of Days Minimum Temperature 32°F and Below,"

Climatic Maps of the United States, 1962, Catalog No. C30.22/4:T24/9

(GPO...\$0.10) belial and to again obtained "seaso brill posture" [3.25]

Data are presented on a 1:10,000,000 map. Reverse side presents similar data for selected stations on a monthly basis. To be a series are another 08 species as 08-1201

23.3 "Mean Dates of Last 32°F Temperature in Spring and First 32°F Temperature in Autumn," <u>Climatic Maps of the United States</u>, 1966, Catalog No. C52.11:T24/3 (GPO...\$0.10)

Data based on 2565 station records, 1921-50, are presented on 1:10,000,000 maps.

23.4 "Mean Length of Freeze-Free Period," <u>Climatic Maps of the United States</u>, 1962, Catalog No. C30.22/4:F87 (GPO...\$0.10)

Maps (1:10,000,000) based on 2565 station records for

period 1921-50, shows mean number of days between last 32°F in spring and first 32°F in autumn. Reverse side presents a tabulation of mean monthly number of days with minimum temperature 32°F and below for about 140 stations.

24. WATER SUPPLY FORECASTS

24.1 Water Supply Forecasts for the Western United States (WB)

Issued as of the first of each month from January to make the first of each month from January to make May. Presents estimates of water-year flow to be expected from numerous watersheds west of 104°W.

25. WIND

25.1 "History of Weather Bureau Wind Measurements," Key to Meteorological Records Documentation No. 3.151, 1963 (GPO...\$0.40)

23.1 "Mornel Dally Maximus, Minimum, Average, and Menge of Temperature,"

Describes various types of anemometers that have been used or are now in use. bla server (dance does not

25.2 "Prevailing Direction, Mean Speed, and Fastest Mile of Wind,"

<u>Climatic Maps of the United States</u>, 1964, Catalog No. C30.22/4:W72

(GPO...\$0.10)

Data are presented on monthly maps (1:30,000,000).

25.3 "Surface Wind Roses," Climatic Maps of the United States, 1966 (GPO...set of 2 sheets \$0.20)

Wind roses, based on hourly observations for the period 1951-60 at about 80 stations, are presented on 13 and 1:15,000,000 maps (12 monthly, 1 annual). Resultant winds for middle months of each of the four seasons are shown also on separate maps.

on 1:10,000,000 and a second of the control of the

"Mean Langin of Ficesa-Free Pariod." Climatic Maps of the United States, 1962, Catalog No. 030.22/4:88% (CPO...\$0.10)

Maps (1:10,000,000) based on 2565 station records for

PRICE LIST

Key to Meteorological Records Documentation No. 1.1 No. state			the U.S.		eteorological Ocumentation No. 6.11
Alabama	\$ 0.30	ः \$ 0.10	્ડ \$્ 0. 35	\$ 0.35	\$ 0.05
Alaska	∂ 0.25	01.00.15		0.50	n.a.
Arizona	0.35	0.00.10		0.50	0.05
Arkansas	0.30			0.45	0.05
California	0.70			1.25	0.10
Colorado	0.35	0.10		0.50	0.05
Connecticut (8.0	04.0 *	01.00.10			lakari* Jesu
Delaware 88.0	04.0 **	0.15	86.0 **	**	***
District of Columbia	04.0 **	01.0 **	03.0 **	**	**
Florida	0.25	0.15	0.35	0.35	0.05
Georgia	0.25	n.a.		0.35	0.05
Hawaii	0.50	0.15		0.40	n.a.
Idaho	0.25	0.10	0.35	0.40	0.05
Illinois	0.35	0.10	0.40	· 0.35	0.10
Indiana		0.10		0.35	0.10
Iowa	0.35	0.10	0.45	0.35	0.05
Kansas	0.35	0.10	0.45	0.50	0.05
Kentucky basesoorg	9 0.25	0.10	0.35	0.30	0.05
Louisiana	0.25	0.10	0.35	0.35	0.05
Maine	*	0.10	*	*	*
Maryland	0.25	0.15	0.35	0.25	0.05
Massachusetts	*	0.10	*	*	*
Michigan	0.30	0.15	0.40	0.35	0.05
Minnesota	0.25	0.10	0.35	0.35	0.05
Mississippi	0.25	0.10	0.35	0.35	0.05
Missouri	0.35	0.10	0.45	0.45	0.05
Montana	0.35	0.15	0.50	0.50	0.05
Nebraska	0.35	0.10	0.45	0.45	0.05
Nevada	0.20	0.10	0.25	0.30	0.05
New England	0.45	n.a.	0.65	0.60	0.15
New Hampshire	*	0.10	*	*	*
New Jersey	0.20	0.10	0.25	0.15	0.05
New Mexico	0.50	0.10	0.50	0.50	0.05
New York	0.35	0.15	0.50	0.65	0.05
North Carolina	0.25	0.15	0.45	0.35	0.05
North Dakota	0.25	0.10	0.40	0.25	0.05
Ohio	0.30	0.15	0.40	0.45	0.05
Oklahoma	0.35	0.10	0.45	0.50	0.05
Oregon	0.40	0.10	0.45	0.50	0.05
Pacific Islands	***	n.a.	***	***	n.a.
Pennsylvania	0.40	0.15	0.45	0.65	0.05
Puerto Rico & Virgin Is		0.15		0.20	n.a.
Rhode Island	*	0.10	*	*	*
South Carolina	0.25	0.10	0.25	0.25	0.05
South Dakota	0.25	0.10	0.40	0.35	0.05

PRICE LIST, Cont'd.

LasigolorosiaM nolikinemuso(States (M	Records		tography of		Key to Meteorological Records Documentation No. 1.1 No. 6.11
orares		TTTTTTT	T	10.	
Tennessee	- 80.05	\$ 0.2	5 \$ 0.1 0	୍ଦ \$ ୦.45	\$ 0.40 \$ 0.05
Texas	08.0	0.2		0.55	1.00 n.y.a.
Utah	00.0	0.2		0.35	0.45 0.05
Vermont	24.0	. o. 35	0.10	00 0 *	* 1111 A Bas * 22 Style
Virginia	25.1	0.2		0.35	0.35
Washington	0.50	0.4			0.50 0.05
West Virginia		0.2			0.35
Wisconsin	44	0.3			0.35 0.05
Wyoming	AA	0.2			0.40 0.05
	22.0	28.0	0.15	0.25	E LTOIT
0.05	.26.0	0.35		22.0	Georgia
## ## · **	04.0	0.50	Legend	02.0	
60.0	04.0	35.0	07,0	325.0	
01.0	\$6.0 *	Included	in New Eng	land issue	Pilknois
0.10	CE . 0 **	Included	in Marylan	d issue	and the same and the same and the same same same same same same same sam
20,000	<i>ૈ</i> ં, ***	Included	in Hawaii	issue	
0.05	n.a.	Not avai		0.25	eseculia.
. 1 1 20.0	n.y.a.	Not yet	available b	ut will be	
30.000	26.0	66.0		- 2 5 . 0	analaluni
	120		01.0		antski
0.0	6.2. a 6	22.0	24.40	0.25	The control of the co
		***	02.0		Massachusetts
	25.0	04.0	21.0	00.0	
39.49	0.35	- 25.0	01.0	. 32.0	
	0.35	26.0	0.10	\$5.0	ing is a light of the light of the limit
20.0	- 64.6	24.0	0.10		
	00.0	02.0	CARO S	0.25	in the state of th
20.0	24.0	0.45		36,0	i ayanxisa
	08.00	25.0	0.20	05.0	nasve V
	00,0	0.00	. 8 . 0	44.0	bekieri yevi
			01.0		See Hampahire
20.0	21.0	22.0	04.0	05.0	New Jessel well
20.0 20.0	04.0	02.0	01.0	02.0	opixal veli
	20.0	02.0:	21.0	0.35	A TOTAL CONTRACTOR OF THE STATE
	JC.9	24.0	3.1×0	24.0 	Worth Carolina
20,0 - 1 1 : : : : : : : : : : : : : : : : :	128.0 ·	04.0	0%.0	0.25	
	34.0 68.0	04.0 24.6		00.0	ohdo: •Oktakoma (* jamokatako
		- 0.45 - 24.0		0.35	
<u> </u>	98.00 	CANU Jesok		Alberta V. Verkely	
	20.0	64.0	14.43 21.0	02.0	a de la compania de La compania de la compania del compania de la compania del compania de la compania del compania de la compania de la compania de la compania del compania del compania del compania del compania del la compania del compa
and the second s	0.20	32,0			el alguly 8 ools onses:
		Santa Maria	01.0		
20.0	23.0	88.0	01.0	23.0	South Carolina
20.0	66.0	02.0	01.0	0.25	