

Tornado

Warning

Tornado

Emergency

Duration: 15-45 min

Duration: 15-45 min

NWS Portland Warning, Watch, Advisory Criteria 🤝





Guidance for all WWA Products:

Last Update: 03/07/2024 (For new zone names and numbers)

Written instructions cannot address every operational situation. All WFO personnel exercise initiative and professional judgment to minimize risk to public safety and property in situations not explicitly covered by written instructions. Protection of life and property takes precedence in these decision making processes. As such, criteria for weather warnings are to be considered as guidance only, not strict thresholds. Forecasters may issue warnings and advisories based upon lower criteria if the event in question poses a significant threat to life due to timing or other circumstances.

	Watch Issuance when confidence is ≥ 50%					
		Warning Issuance when confidence is ≥ 80%				
Multi-Purpose Hazard	Lead Time / Duration Guidance	Criteria (including IMPACTS)				
Special Weather Statement	Duration: < 6 hours	- Strong, sub-severe convection or gust fronts. Could include gusts 40-57mph, hail < 1", frequent/continuous lightning. OR - Funnel clouds not expected to become a tornado threat (e.g. cold-core funnel clouds) OR - Short term hazards like frosty or icy conditions that may cause hazardous driving, but not meet freezing fog advisory criteria OR - Highlight a major multi-hazard event expected beyond 6 hours. OR - Level 5 (Extreme) Space Weather Event.				
Convective Hazard	Lead Time / Duration Guidance	Criteria (including IMPACTS)				
Severe Weather Statement	Duration: 0-1 hour	Used to update, correct, expire, or cancel a TOR or SVR. An SVS should be issued at least once during the valid time of a SVR or TOR.				
Severe Thunderstorm Watch	SPC-Driven	Issued in coordination with Severe Prediction Center (SPC). Observed and/or expected atmospheric conditions support the formation of severe thunderstorms.				
Severe Thunderstorm Warning	Duration: 30-60 min	Impact criteria: Thunderstorms that are forecast to produce signifcant tree or structrual damage, downed powerlines, flying debris, or threaten lives/property. - Gusts ≥ 58 MPH OR - Hail size ≥ 1" OR - Damage reports that indicate thunderstorm wind or hail.				
Tornado Watch	SPC-Driven	Issued in coordination with SPC. - When there is a forecast of multiple weak tornadoes or any tornado which could produce EF2 or greater damage. - The forecast event minimum thresholds should be at least 2 hours over an area at least 8,000 square miles.				

Radar indication or credible report of (developing) tornado, including TVS, hook echo, mesocyclone

Severe threat to human life and catastrophic damage from a tornado is imminent or ongoing.

Visual or radar sources confirm tornado. Radar imagery (e.g., debris ball signature) strongly suggests the existence of a damaging tornado.

- gate to gate shear >90 kts within 30 nm of the RDA gate to gate shear >70 kts between 30 to 55 nm of the RDA

Exceedingly rare situations when:

Special Marine Warning - Wind: Sustained wind or frequent gusts of ≥ 34 kt not adequately covered in CWF. Duration for up to 2 hoursusually less - Thunderstorm: (Non-severe) a thunderstorm producing wind gusts of ≥ 34 kt that forms or moves over the marine forecast area - Severe Thunderstorm: 50 kt wind gust, hail ≥ 3/4" diameter (penny-size) - Waterspout indicated or observed		
---	--	--

Hydrology Hazard	Lead Time / Duration Guidance	Criteria (including IMPACTS)
Flood Potential Outlook	Lead Time: >36 hours	- Issued if expected hydro-meteorological conditions may cause flooding problems, generally a few days from the time of issuance as a "heads-up" to emergency managers and the public.
Flood Advisory	Lead Time: short term, generally 0 to 12 hours	- Issued for urban areas and/or small streams when hydro-meteorological conditions may cause flooding or smaller streams and urban areas (e.g. underpasses, low lying areas, or drainages) which may hinder or block public traffic or access
Flood Watch	Lead Time: 12-48 hours	- Issued when current or developing hydro-meteorological conditions indicate a threat of flooding, but the occurrence is neither certain or imminent
Flood Warning (River Forecast Points)	Lead Time: 6-24 hours	- Flooding at a river forecast point is imminent or in progress OR - River forecast indicates flooding within next several hours - Category of flooding increases (e.g. minor to moderate)
Flood Warning (Areal)	Lead Time: 6-24 hours	- Issued when flooding presents a threat to life or property
Flood Statement		- Used to update, correct, expire, or cancel a Flood Warning.
Flash Flood Watch	Lead Time: 6-48 hours	- Conditions indicate flash-flooding is possible but not imminent - Potential dam or levee failure
Flash Flood Warning	Lead Time: 0-6 hours	 Flash flooding is reported by a reliable source Precipitation capable of producing flash flooding is detected or reported Observed rainfall approaches or exceeds guidance obtained from the RFC Sudden release from a dam, levee, or other structure due to controlled release or failure Headwater tables or other predictive procedures indicate flash flooding Notification by PacifiCorp that releases at Merwin Dam will be increased to 60,000 CFS or more within the next 6 hours
Flash Flood Statement		- Used to update, correct, expire, or cancel a Flash Flood Warning.
Flash Flood Emergency	Lead Time: 0-6 hours	FFW criteria AND one of the following: - State of Emergency declared due to life-threatening rapidly rising water - Flash flood water rises to level rarely ever seen or much higher than typical flash floods; - Multiple swift water rescue teams required; - Total failure of high hazard dam with catastrophic impacts.
Winter	Lead Time / Duration	

Hazard	Guidance	Criteria (including IMPACTS)
		Cascades: 6-11 inches in 12 hours If the above criteria is only expected to be met for elevations above 5,500 feet, then no headline is needed!
		Cascade Foothills, Coast Range, Willapa Hills, and Upper Hood River Valley: 2-4 inches in 12 hours
Winter Weather Advisory	Lead Time: 0-36 hours	Coast, Coast Range Lowlands, Willapa and Wahkiakum Lowlands, Lower Columbia, Willamette Valley, Cowlitz County Lowlands, and Columbia River Gorge: 1-3 inches in 12 hours
		Freezing rain: 0.10-0.25" flat ice accumulation in 12 hours
		Impact Criteria: Significant travel inconveniences due to slippery roads and/or sidewalks, scattered power disruptions, significant civic or economic disruption (i.e. schools and/or businesses closed).
Winter Storm Watch	Lead Time: 36-48 hours (can be longer for high- confidence events)	≥ 50% chance of a hazardous winter weather event meeting or exceeding warning and/or impact criteria
		- Issued for all winter precipitation events meeting/exceeding warning guidelines and/or causing significant impact. Exceptions: Blizzards, Ice Storms, or Wind Chill are issued seperately.
		- Winter Storm Warnings include different event types such as heavy snow, snow mixed with sleet or freezing rain, blowing snow, etc.
		- If BOTH Winter Storm Warning and High Wind Warning criteria are met, issue both seperately: WSW for Winter Storm, and NPW for High Wind. Consider tying the two together in the *ADDITIONAL DETAILSsection of each.
	Lead Time: 0-36 hours	Cascades: ≥12 inches in 12 hours
Winter Storm Warning		≥18 inches in 24 hours If the above criteria is only expected to be met for elevations above 5,500 feet, then no headline is needed!
warning		Cascade Foothills, Coast Range, Willapa Hills, and Upper Hood River Valley: ≥4 inches in 12 hours
		Coast, Coast Range Lowlands, Willapa and Wahkiakum Lowlands, Lower Columbia, Willamette Valley, Cowlitz County Lowlands, and Columbia River Gorge: ≥3 inches in 12 hours ≥6 inches in 24 hours
		Impact Criteria: Life-threatening travel conditions, widespread power outages due to heavy snow, major economic disruption (i.e. closure of I-84).
		Significant, short lived snow events causing extremely dangerous driving conditions from near white-out conditions
Snow Squall Warning	Duration: 30-60 min	- Snow accumulations are often ≤ 1" - Added combination of: - Gusty winds - Sub-freezing ambient road temperatures - Reduced visibility (≤ 1/4 mi)
		This would be a very rare event for our CWA
Ice Storm	Load Times 0.30 have	Significant, widespread and possibly damaging accumulations of ice: ≥0.25" ice accumulation in 24 hours
Warning	Lead Time: 0-36 hours	Impact Criteria: Widespread power outages due to downed ice-laden trees/limbs, life threatening travel conditions, major economic disruption (i.e. closure of I-84).
Blizzard Warning	Lead Time: 0-36 hours	- Sustained wind speeds or frequent gusts of 35 mph AND - Considerable falling and/or blowing snow frequently reducing visibility <1/4 mile for 3+ hours

Wind Chill Advisory		AND - Expected to last 1+ hour AND - Wind speed ≥ 10 mph (see wind chill chart) For the Cascades, only consider wind chills at passes or below
Wind Chill (ca	ead Time: 36-48 hours can be longer for high- confidence events)	Conditions are favorable for hazardous wind chill to develop, but its occurrence, location, and/or timing is still uncertain
Wind Chill Warning		- Wind chill is ≤ -20°F AND - Expected to last 1+ hour AND - Wind speed ≥ 10 mph (see wind chill chart) For the Cascades, only consider wind chills at passes or below

Non-Precip Hazard	Lead Time / Duration Guidance	Criteria (including IMPACTS)
Wind Advisory	Lead Time: 12-36 hours	Issued for all zones except the coast, Columbia River Gorge, and high Cascades: ORZ109-118 (Willamette Valley) ORZ108-WAZ204 (Lower Columbia in Columbia & Cowlitz Counties) WAZ205-207 (Clark County lowlands) Sustained winds: 30-39 mph (26-34 kt), duration of 1+ hour Frequent gusts: 45-57 mph (39-49 kt), any duration
High Wind Watch	Lead Time: 12-48 hours (can be longer for high- confidence events)	Conditions are favorable for hazardous high wind warning conditions to develop, but its occurrence, location, and/or timing is still uncertain
High Wind Warning	Lead Time: 0-36 hours	For all zones (except the Columbia River Gorge and Cascades): - Sustained winds: 40 mph (40 kt), duration of 1+ hour - Frequent gusts: 58 mph (50 kt), any duration OR - Credible reports, or expectation, of widespread damaging wind at lower values For the Columbia River Gorge and Cascades: ORZ119-120 and WAZ209 (Western Columbia River Gorge) ORZ126-127 (North Oregon Cascades and Marion/Linn Cascades) WAZ211 (South Washington Cascades) - Sustained winds: 50 mph (43 kt), duration of 1+ hour - Frequent gusts: 75 mph (65 kt), any duration OR - Credible reports, or expectation, of widespread damaging wind at lower values
Heat Advisory	Lead Time: 12-36 hours	Use NWS Western Region Heat Risk Tool - Heat Risk Value: 2.4-2.65 (high orange/low red levels) - Moderate risk for those who are sensitive to heat, especially those without effective cooling and/or adequate hydration
Excessive Heat Watch	Lead Time: 12-48 hours (can be longer for high- confidence events)	Conditions are favorable for hazardous heat conditions to develop, but its occurrence, location, and/or timing is still uncertain
Excessive Heat Warning	Lead Time: 0-36 hours	Use NWS Western Region Heat Risk Tool - Heat Risk Value: 2.66-3.9 (red level) - High risk for much of the population, especially those who are heat sensitive and those without effective cooling and/or adequate hydration - Heat Risk Value: 4 (magenta level) - Rare, long duration heat event. Very high risk due to long duration heat with little to no relief overnight

Frost Advisory	Lead Time: 0-36 hours	Growing Season Only (APR-OCT) - Minimum shelter temperatures mainly 33°F-36°F on nights with good radiational cooling conditions (light winds and clear skies) - Comprises of all forecast zones except for WAZ211, ORZ126, ORZ127, and ORZ128 (the high Cascades zones)
Freeze Watch	Lead Time: 48-96 hours	- Conditions are favorable for hazardous freeze conditions to develop, but its occurrence, location, and/or timing is still uncertain
Freeze Warning	Lead Time: 0-36 hours	Growing Season Only (APR-OCT) - Widespread minimum shelter temperatures between 29°F-32°F - Comprises of all forecast zones except for WAZ211, ORZ126, ORZ127, and ORZ128 (the high Cascades zones)
Hard Freeze Watch	Lead Time: 48-96 hours	- Conditions are favorable for hazardous hard freeze conditions to develop, but its occurrence, location, and/or timing is still uncertain
Hard Freeze Warning	Lead Time: 0-36 hours	Growing Season Only (APR-OCT) - Widespread minimum shelter temperatures ≤28°F - Comprises of all forecast zones except for WAZ211, ORZ126, ORZ127, and ORZ128 (the high Cascades zones)
Dust Advisory (polygon- based)	Lead Time: 12-36 hours	 Widespread or localized blowing dust reduces visibilities to ≤ 1 mile, but > 1/4 mile Dust storms are extremely rare west of the Cascades
Dust Storm Warning (polygon- based)	Lead Time: 0-36 hours	 Widespread or localized blowing dust reduces visibilities to ≤ 1/4 mile Sustained winds ≥ 25 mph Dust storms are extremely rare west of the Cascades
Blowing Dust Advisory (zone-based)	Lead Time: 12-36 hours	 Widespread or localized blowing dust reduces visibilities to ≤ 1 mile, but > 1/4 mile Dust storms are extremely rare west of the Cascades
Blowing Dust Warning (zone-based)	Lead Time: 0-36 hours	 Widespread or localized blowing dust reduces visibilities to ≤ 1/4 mile Sustained winds ≥ 25 mph Dust storms are extremely rare west of the Cascades
Dense Fog Advisory	Lead Time: 12-36 hours	- Widespread or localized fog is expected to, or is reducing visibilities ≤ 1/4 mile
Freezing Fog Advisory	Lead Time: 12-36 hours	 Issue when we receive multiple reports from spotters, law enforcement, or other government agencies of hazardous conditions due to the freezing fog. ASOS reports of freezing fog, on their own, are not enough. The freezing fog must affect a "representative part of the area".
Dense Smoke Advisory	Lead Time: 12-36 hours	- Widespread or localized smoke reduces visibility to ≤ 1/4 miles
Coastal Hazard	Lead Time / Duration Guidance	Criteria (including IMPACTS)
Beach Hazards Statement		High Sneaker Wave threat: - Swell height ≥ 9 ft with a period ≥ 14 sec on a weekend/holiday

	Coastal Flood Advisory (for Tidal Overflow)	Lead Time: 0-36 hours	 Rivers at/near 80% flood flow and tide + tidal anomaly of 9.5 ft at Newport (South Beach) in the south and Astoria (Tongue Point) or Willapa Bay (Toke Point) in the north. OR Southwest Washington Coast: Tide + tidal anomaly alone is ≥ 11 ft at Willapa Bay (Toke Point, south Washington coast). North Oregon Coast: Tide + tidal anomaly alone is ≥ 10.5 ft at Astoria (Tongue point, north Oregon coast) or Garibaldi. Central Oregon Coast: Tide + tidal anomaly alone is ≥ 12 ft at Newport (South Beach, central Oregon coast). OR Tidal flooding is observed and reported by a reliable source.
(Coastal Flood Watch	Lead Time: 12-48 hours (can be longer for high- confidence events)	- See Coastal Flood Warning
C	Coastal Flood Warning	Lead Time: 0-36 hours (can be longer for high- confidence events)	 Coastal Flood Index of ≥ 22 for a .02 slope beach is forecast or occurring. We will use .02 as a representative standard. OR Tide + tidal anomaly alone is 14.5 ft or greater at South Beach (central Oregon coast), Astoria (north Oregon coast), or Toke Point (south Washington coast).
	High Surf Advisory	Lead Time: 0-36 hours	- Issued for swell energy flux of 100 x 10^4 J/ms
	High Surf Warning	Lead Time: 0-36 hours	- Issued for swell energy flux of 160 x 10^4 J/ms

Marine Hazard	Lead Time / Duration Guidance	Criteria (including IMPACTS)
Marine Weather Statement	Lead time: 0-36 hours	Product to provide mariners with details on significant or potentially hazardous conditions not otherwise covered in existing marine warnings and forecasts - Non-Severe, Short-term Wind Events: sustained winds or gusts to 33 kt are expected for 2 hours or less - Non-Severe, Long-term Events: dense fog, hazardous materials spills; volcanic impacts, trends for increasing and/or decreasing wind and wave/seas conditions - Other hazardous events: funnel clouds, tsunamis, marine debris, ice changes, freezing spray advisories, ashfall advisories
Special Marine Warning	Duration: 0-1 hour	 Wind: Sustained wind or frequent gusts of ≥ 33 kt not adequately covered in CWF. Duration for up to 2 hoursusually less Thunderstorm: (Non-severe) a thunderstorm producing wind gusts of ≥ 33 kt that forms or moves over the marine forecast area Severe Thunderstorm: Hail with diameter ≥ 3/4" diameter (penny-size) Waterspout indicated or observed
Dense Fog Advisory	Lead Time: 0-36 hours	- Widespread or localized fog reducing visibility to < 1 nautical mile
Dense Smoke Advisory	Lead Time: 0-36 hours	- Widespread or localized smoke reducing visibility to < 1 nautical mile
Small Craft Advisory	Lead Time: 0-36 hours	- Sustained wind speeds or frequent gusts of 21-33 kts OR - Combined seas ≥ 10 ft OR - Meets wave steepness criteria (local wave criteria below) OR - Seas 7-9 ft with strong (5.6 kts) to very strong (6.4 kts) ebb currents (PZZ210 only) at Sand Island Tower station

Freezing Spray Advisory	Lead Time: 0-36 hours	- Light	ice accumulation expected a	pplicable	primarily	to PZ	Z210,	see Col	umbia	River E	ar sectio	n of the marine Google page for more guidance
Gale Watch	Lead Time: 12-48 hours (can be longer for high- confidence events)	- Cond	litions are favorable to meet (Gale Warr	ning crite	ria in t	the nex	kt 12-48	3 hours			
Gale Warning	Lead Time: 0-36 hours	- Susta	ained winds or frequent gusts	of 34-47	kts, eith	ner pre	dicted	or occu	rring			
Storm Watch	Lead Time: 12-48 hours (can be longer for high- confidence events)	- Cond	litions are favorable to meet S	Storm Wa	tch Warr	ning cr	riteria,	but its o	occurre	nce, loc	ation, ar	d/or timing is still uncertain
Storm Warning	Lead Time: 0-36 hours	- Susta	ained winds or frequent gusts	of 48-63	8 kts, eith	ner pre	dicted	or occu	rring			
Hurricane Force Wind Watch	Lead Time: 12-48 hours (can be longer for high- confidence events)	- Cond	litions are favorable to meet H	Hurricane	Force W	ind W	arning	criteria	, but its	occuri	ence, lo	ation, and/or timing is still uncertain
Hurricane Force Wind Warning	Lead Time: 0-36 hours	- Susta	ained winds or frequent gusts	of ≥ 64 l	cts, eithe	r predi	icted o	r occurr	ing, and	d not d	irectly as	sociated with a tropical cyclone
Hazardous Seas Watch	Lead Time: 12-48 hours (can be longer for high- confidence events)	- Cond	litions are favorable to meet H	Hazardous	s Seas W	/arning	g criter	ia, but i	ts occui	rence,	location	and/or timing is still uncertain
Hazardous Seas Warning	Lead Time: 0-36 hours	- A wa	arning for wave heights and/o	r wave ste	eepness	values	meeti	ing or ex	kceedin	g local	ly define	d warning criteria (see table below)
			No Hazard (green) Sma		I Wave			nd Haza	ardous	Seas	(red)	
			-	-		Domi	nant W	ave Per	iod (sed	conds)		
			-	-	<= 7	8	9	10	11	12	>= 13	
				<=5								
				6								
				7								
				8								
			Significant Wave Height (ft)	9								
				10								
				11								
				12								
				13								
				14								
				>= 15								
												1
Fire Weather	Lead Time / Duration											
Hazard	Guidance					(Criteria	a (includ	ding IM	PACTS	5)	

Fire Weathe Watch	Lead Time: 48-72 hours (can be longer for high-confidence events)	Day (for 4 hours): - Dry fuels - RH ≤ 25% - RAWS: 10G20 mph - ASOS: 15G25 mph Night (for 3 hours): - Dry fuels - RH ≤ 35% - RAWS: 10G20 mph - ASOS: 15G25 mph Dry and unstable: - Dry fuels - RH ≤ 25% - Mid-Haines: 6 - High-Haines: 5/6 Lightning: - Scattered thunderstorms - Critically dry fuels - No appreciable change in fuel conditions after event
Red Flag Warning	Lead Time: 24-60 hours (can be longer for high- confidence events)	Day (for 4 hours): - Dry fuels - RH ≤ 25% - RAWs: 10G20 mph - ASOS: 15G25 mph Night (for 3 hours): - Dry fuels - RH ≤ 35% - RAWs: 10G20 mph - ASOS: 15G25 mph Dry and unstable: - Dry fuels - RH ≤ 25% - Mid-Haines: 6 - High-Haines: 5/6 Lightning: - Scattered thunderstorms - Critically dry fuels - No appreciable change in fuel conditions after event
Geohazard Hazard	I Lead Time / Duration Guidance	Criteria (including IMPACTS)
Tsunami Advisory	NTWC-Driven	- Issued for the threat of a potential tsunami that may produce strong currents in harbors and bays or waves dangerous to those near the water. - Issued for sub-warning events NOT expected to produce wave amplitudes ≥ 1 meter
Tsunami Watch	NTWC-Driven	- Issued to alert the public of a tsunami event that may later impact the watch area - Earthquake magnitude > 7.8: the watch area will be for locations along the coast with wave arrival times 3-6 hours of the epicenter - No watches issued for earthquake magnitudes < 7.8
Tsunami Warning	NTWC-Driven	- Issued when a potential tsunami with significant widespread inundation is imminent or expected - Earthquake magnitude 7.1 to 7.5: the warning will be for an area 250 km from the epicenter, extending to the nearest breakpoint (e.g. Cascade Head)

- Earthquake magnitudes 7.5 to 7.8 (inclusive): the warning area will be for an area 500 km from the epicenter, extending to the nearest breakpoint

- Earthquake magnitudes > 7.8: the warning will be for locations along the coast with wave arrival times within 3 hours of the epicenter. Wave amplitudes are expected to be ≥ 1 meter

Ashfall Advisory (Land)	Coordination with VAAC & CVO	- Coordination with Volcanic Ash Advisory Center (VAAC) and USGS Cascades Volcano Observatory (CVO) required - Issued for a volcano undergoing a minor eruption where the public will be affected by a limited hazard extent such as <1/4" of ashfall accumulation
Ashfall Warning (Land)	Coordination with VAAC & CVO	- Coordination with Volcanic Ash Advisory Center (VAAC) and USGS Cascades Volcano Observatory (CVO) required - Issued for a volcano undergoing a major eruption where the public will be affected to a significant extent, such as ≥ 1/4" of ashfall accumulation, significant debris, lava or lahar flows.
Ashfall Advisory (Marine)	Coordination with VAAC & CVO	- Coordination with Volcanic Ash Advisory Center (VAAC) and USGS Cascades Volcano Observatory (CVO) required <1/4" of ashfall accumulation, pumice rafts, or some floating debris.
Ashfall Warning (Marine)	Coordination with VAAC & CVO	- Coordination with Volcanic Ash Advisory Center (VAAC) and USGS Cascades Volcano Observatory (CVO) required ≥1/4" of ashfall accumulation, significant debris, lava, or lahar flows.
3rd Party	Lead Time / Duration	
Hazard	Guidance	Criteria (including IMPACTS)
Hazard Air Stagnation Advisory	Guidance Lead Time: Up to 36 hours	Criteria (including IMPACTS) - Persistent surface inversions (especially sharp ones) - NW Oregon and SW Washington mixing level <2000 ft - Transport winds <5 kts - No precipitation expected - Above conditions to last 48+ hours
Air Stagnation	Lead Time: Up to 36	- Persistent surface inversions (especially sharp ones) - NW Oregon and SW Washington mixing level <2000 ft - Transport winds <5 kts - No precipitation expected
Air Stagnation Advisory Air Quality	Lead Time: Up to 36 hours	- Persistent surface inversions (especially sharp ones) - NW Oregon and SW Washington mixing level <2000 ft - Transport winds <5 kts - No precipitation expected - Above conditions to last 48+ hours
Air Stagnation Advisory Air Quality Alert Special Avalanche	Lead Time: Up to 36 hours Partner-Driven	- Persistent surface inversions (especially sharp ones) - NW Oregon and SW Washington mixing level <2000 ft - Transport winds <5 kts - No precipitation expected - Above conditions to last 48+ hours Requested by Department of Environmental Quality (DEQ) or Lane Regional Air Protection Agency (LRAPA)